

# 20392 HIGH CAPACITY SHREDDER

## DAHLE PROFESSIONAL SERIES



### 20392

16" Feed Opening  
 25/30 Sheet Capacity  
 1/2" x 9/16" Shred Size - Level 4  
 Fully Automatic Features  
 Made in Germany


In today's society there's nothing more critical than the accumulation of large volumes of confidential waste. A company's financial records, health information or personnel records can be seen by all if not shredded immediately. This Dahle High Capacity Shredder is just the tool to destroy large quantities of paper in a short amount of time.

The Dahle High Capacity 20392 shredder has a 16" feed opening and a 50 gallon waste volume. It features full electronic capabilities including such safety features as automatic shutoff when the door is open and auto reverse to prevent an overfeed.

Housed in a wooden cabinet with casters, this rather stout machine is easy to move and position in its place of operation. This machine

fits nicely in company mail rooms or any other centralized location where large amounts of shredded material is taken. Expensive shredding services are no longer needed with the ability to hold 50 gallons of shredded confidential waste. Not to mention the confidence in knowing your documents are immediately destroyed and can no longer be seen by others.

Dahle's shredders are made in Germany using the latest technology and finest materials. The end result is a quality machine and peace of mind in knowing your Dahle shredder will provide many years of trouble free operation.



*Conveyor of rollers on each side allows for easy removal of the 50 gallon waste container.*



*The electronic control panel allows for auto on/off, continuous run, and reverse operation.*

### DAHLE 20392 SPECIFICATIONS

MODEL	FEED WIDTH	CAPACITY #20 / #16	SECURITY LEVEL	SHRED SIZE	FEATURES/CAPABILITIES				DECIBEL LEVEL	WASTE VOLUME	SHRED BAG	DIMENSIONS
					Staples/Clips Credit Cards	CDs / DVDs	SmartPower	Auto Oiler				
20392	16"	25 / 30	4	1/2" x 9/16"					60	50 gal	706/739	46 1/2" x 27 1/2" x 24"

All performance data has been established using #20 / #16 bond 8 1/2" x 11" paper. Different paper qualities may yield different results.

Authorized Dealer